Ferritic Piping Solutions

sales@ferropipe.com



Seamless Tubings

ASME SA 519 Grade 1040



Seamless carbon and alloy steel mechanical tubing

Material Description

ASME SA 519 Grade 1040 Carbon Steel Seamless Tubings are Medium Carbon Steel Tubings with 0.37-0.44 % carbon content with combination of 0.60-0.90 % manganese. ASME SA 519 Grade 1040 Carbon Steel Seamless Tubings are most commonly used for general purpose applications worldwide. ASME SA 519 Grade 1040 Tubings are ductile and strong Tubings with long wearing properties. These Tubings are manufactured as per ASME Specification and commercially referred as carbon steel Tubings.

Chemical Properties

Carbon	Silicon	Manganese	Phosphorous	Sulphur	Molybdenum	Nickel	Chromium	Copper	Other Elements
0.37-0.44	-	0.60-0.90	0.04	0.05	-	-	-	-	-

Mechanical Properties

Yeild Stress	(O.2% Offset)		Tensile Strength		Elongation
min MPa	min MPa	min MPa	max MPa	min ksi	A5 min
_	_	_	_	_	-

Production Programme

The diameter, tolerances and surface finish of component are the same as those stated for the full length tube.

Outer diameter: 6.25-1800mm Nominal Dia: 1/4"-72"

Schedule: 10 - XXS / Thk 1mm-150mm
Single random Lengths: 4-7 meters
Double random Lengths: 7-13 meters
Chamfering can be done at fixed lengths.
Pipes are externally varnished with black paint or Bare.
Hot deep Galvanised Pipes with threaded ends are provided.

Certifications

Pipes and Tubes manufactured as per ASME \$A 519 Grade 1040 are certified with En 10204 Type 3.1/3.2. IBR,NACE,HIC,IGC,IMPACT are adhered as supplementary testing requirements.

Product Marking

Each Pipe/tube is marked with tube type, heat number, steel grade and size. Other markings, such as stamping, can be made on request.

Reference Documents

A 370,E59,MIL-STD-129,MIL-STD-163 Steel,Fed. Std. No. 143

Related Keywords

Carbon Steel Tubing, Ferritic Steel Tubing, Carbon Steel Seamless Tubing, Asme Sa 519 Grade 1040 Seamless Tubing, 1040 Tubing, Seamless Steel Tubing, Ferritic Carbon Steel Tubing, Asme Sa 519 Seamless Tubing

Equivalent Designation

European Standard -	DIN Specification DIN 17200 Grade C40			
ASME Specification ASME SA 519 Grade 1040	ASTM Specification ASTM A519 Grade 1040			
British Standard	Japanese Standard -			

Pipes Make: ISMT, MSL, JSL, TATA, BHUSHAN, JINDAL, SUMITOMO, TENARIS, ARCELOR MITTAL